



SCANSTRUT®



POWERBOAT PRODUCTS
TECHNICAL INFORMATION





CONTENTS

Product	Page no.
Composite PowerTower®	3
Stainless PowerTower®	4
Aluminium PowerTower®	5
Satcom/tv PowerTower® - Aluminium	6
Satcom/tv PowerTower® - Stainless	7
Dual PowerTower®	8
Compact Dual PowerTower®	9
Satcom Antenna Mount	10

Composite PowerTower®

For help & information
 email: technical@scanstrut.com
 tel: +44 (0) 1803 863800




	A mm / inches	B mm / inches	C mm / inches	D mm / inches
PT2001	388/15.3	358/14.1	150/5.9	200/7.9
PT2002	388/15.3	358/14.1	150/5.9	200/7.9
PT2003	152/6	358/14.1	150/5.9	200/7.9
PT2004	268/10.5	158/6.2	150/5.9	200/7.9
PT2005	278/11	158/6.2	150/5.9	200/7.9
PT2006	288/11.3	158/6.2	150/5.9	200/7.9

All Composite PT's are 30° aft leaning



Stainless PowerTower®

For help & information
 email: technical@scanstrut.com
 tel: +44 (0) 1803 863800





	A mm / inches	B mm / inches	C mm / inches	D mm / inches
SPT1001	152/6	263/10.3	127/5	152/6
SPT1002	152/6	245/9.6	127/5	152/6
SPT1004	152/6	270/10.6	152/6	203/8
SPT1005	152/6	270/10.6	152/6	203/8

All SPT's are 25° aft leaning



Aluminium PowerTower®

For help & information
 email: technical@scanstrut.com
 tel: +44 (0) 1803 863800




	A mm / inches	B mm / inches	C mm / inches	D mm / inches
APT19000	127/5	295/11.6	127/5	177/7
APT19001	254/10	355/14	127/5	177/7
APT5U	127/5	245/9.6	127/5	177/7
APT10U	254/10	303/12	127/5	177/7
APT52S	27/5	267/10.5	127/5	177/7
APT102S	254/10	326/12.8	127/5	177/7
APT6001	127/5	278/11	150/5.9	200/7.9
APT6002	127/5	290/11.4	150/5.9	200/7.9

All APT's are 25° forwards leaning except APT6001 and APT 6002 which are 25° aft leaning




Satcom PowerTower®

For help & information
 email: technical@scanstrut.com
 tel: +44 (0) 1803 863800




	A mm / inches	B mm / inches	C mm / inches
SATPT-30	300/11.8	200/7.8	120/4.7
SATPT-40	300/11.8	200/7.8	120/4.7
SATPT-60	300/11.8	250/9.8	145/5.7

All SATPT'S are vertical with an oval stem



Satcom/TV PowerTower® - Stainless

For help & information
 email: technical@scanstrut.com
 tel: +44 (0) 1803 863800





	A mm / inches	B mm / inches	C mm / inches
SATPT-40S	300/11.8	410/15.7	200/7.9
SATPT-60S	300/11.8	480/18.9	250/9.8

All SATPT-S's are 25° aft leaning.



Dual PowerTower®

For help & information
 email: technical@scanstrut.com
 tel: +44 (0) 1803 863800





	A mm / inches	B mm / inches	C mm / inches	D mm / inches	E mm / inches	F mm / inches	G mm / inches
DPT-SR 1-40	476/18.7	480/18.9	576/22.7	878/34.6	256/10	291/11.5	230/9
DPT-SR 2-40	476/18.7	480/18.9	342/13.5	823/32.4	256/10	291/11.5	230/9
DPT-SO 1-40	556/21.9	555/21.9	582/22.9	1137/44.8	138/5.4	291/11.5	230/9
DPT-SO 2-40	556/21.9	557/22	697/27.4	1254/49.4	138/5.4	291/11.5	230/9
DPT-SR 1-60	518/20.4	560/22.1	397/15.6	957/37.7	256/10	291/11.5	230/9
DPT-SR 2-60	518/20.4	560/22.1	343/13.5	903/35.6	256/10	291/11.5	230/9
DPT-SO 1-60	608/24	640/25.2	582/22.9	1222/48.1	138/5.4	291/11.5	230/9
DPT-SO 2-60	608/24	640/25.2	697/27.4	1336/52.6	138/5.4	291/11.5	230/9





Compact Dual PowerTower® - DPT-SR1/SR2-30

For help & information
email: technical@scanstrut.com
tel: +44 (0) 1803 863800



Satcom Antenna Mounts

For help & information
 email: technical@scanstrut.com
 tel: +44 (0) 1803 863800



	A mm / inches	B mm / inches	C mm / inches	D mm / inches
SC35	56/2.2	307/12	120/4.7	200/7.9
SC45/45R	68/2.7	360/14.2	120/4.7	200/7.9
SC65	60/2.4	465/18.3	120/4.7	200/7.9
SC80	80/3.1	352/13.9	205/8	230/9

